

## CYCLE 2020-01

List of new items – first version.

Sorting order:

A – first 'quotas', then 'suspensions'

B – new requests, amending requests

>>>The duty suspension and quota requests on the following list are currently under discussion. The data available on this list may not represent the final state of the discussions within the relevant Commission Working group.

Please note that it cannot be guaranteed that the information available exactly reproduces an officially adopted text. Only European Union legislation published in the Official Journal of the European Union is deemed authentic<<<<

CN code	TARIC	Reference Mail	Working Number	Description	QUOTAS	New or amendment request	Measure status	Public Comments
2853 90 90		1697251/2019	1040	Lithium nickel cobalt manganese oxide, as a Cathode Active Material, for use in the manufacture of motor vehicle batteries (1)	Q/1200000kilograms, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of motor vehicle batteries
2921 43 00		1897448/2019	1072	2-Methylaniline (CAS RN 95-53-4)	Q/2000kilograms, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 Chemical for the synthesis and / or formulation of industrial products (e.g., dyes; polyamides; hardeners for epoxy resin agrochemicals)
2922 41 00		2544706/2019	1104	L-Lysine hydrochloride (CAS RN 657-27-2)	Q/420000tonnes, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 Animal feed, either in the form of a pre-mix or as a final product

2922 50 00		2581792/2019	1107	L-Threonine (CAS RN 72-19-5)	Q/160000tonnes, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 for mixing and blending with other animal feed ingredients
2934 99 90		1540915/2019	1000	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	Q/45000kilograms, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 Raw material for the production of a pharmaceutical active ingredient
3926 90 97		1904052/2019	1081	Rubber sensor cover: - of plastic, silicon and/or rubber, - with dimensions of maximum 2 mm x 2 mm x 2 mm, for increasing sensitivity of sensors and microphones in mobile phones (1)	Q/2470880pieces, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01
3926 90 97		1904129/2019	1082	Middle Frame: - of ABS (Acrylonitrile butadiene styrene), Fiberglass, PC (Polycarbonate), and Al-Ti (Aluminium-Titanium) or Al-Mg (Aluminium-Magnesium) alloys, - with dimensions of max. 200 mm x 100 mm x 10mm, for use in the manufacturing of parts of mobile phones (1)	Q/2470880pieces, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 used in mainboard, battery, display, speaker box, sub board and battery cover are settled in the middle frame, for the production of a smartphone
3926 90 97		1903944/2019	1080	Battery Cover - of ABS (Acrylonitrile butadiene styrene), Fiberglass, PC (Polycarbonate), and Al-Ti (Aluminium-Titanium) or Al-Mg (Aluminium-Magnesium) alloys, - with dimensions of max. 200x100x10mm, for use in the manufacturing of parts of mobile phones (1)	Q/2470880pieces, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 used for the mobile phone design, settled in the middle case and able to cover device's battery, mainboard, speaker box, sub board parts, named as battery cover as a part of a smartphone.

8536 49 00		1940311/2019	1084	Relay in the form of a sugar shape with: - coil operating voltage of 12 VDC or more but not more than 24 VDC - contact current carrying capacity of 5 A or more but not more than 15, A, - contact voltage of 80 VAC or more but not more than 270 VAC, - outer dimensions of 19 mm x 15,2 mm x 15,5 mm for use in the production of control board of white goods (1)	Q/4000000pieces, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01
8536 49 00		1940311/2019	1231	Relays in the form of a sugar shape with: - coil operating voltage of 12 VDC or more but not more than 24 VDC - contact current carrying capacity of 5 A or more but not more than 15 A, - contact voltage or 80 VAC or more but not more than 270 VAC, - outer dimensions of 19 mm x 15,2 mm x 15.5 mm and for use in the production of control board of white goods (1)	Q/4000000pieces, 01.01-31.12	New	UNDER EXAMINATION	Round 2020-01 used in switching of the circuit

ex 2309 90 31 ex 2309 90 96	87 97	4693681/2017	8000	Soya bean protein concentrate containing by weight: - 60 % (± 10 %) of crude protein, - 5 % (± 3 %) of crude fibre, - 5 % (± 3 %) of crude ash, and - 3 % or more but not more than 6,9 % of starch for use in the manufacture of animal feed products (1)	Q/30000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 Classification issue. CN 2309 90 96 could be deleted
ex 2833 29 80	40	1589379/2017	8912	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution	Q/200tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 - Request for increase

2903 22 00		295295/2011	8020	containing by weight 48 % or more but not more than 52 % of caesium sulphate Trichloroethylene (CAS RN 79-01-6)	Q/15000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	ROUND 2018-01 The final product is the catalyst  used in air condition systems
2916 14 00		5051698/2018	8021	Methyl methacrylate (CAS RN 80-62-6)	Q/16000tonnes, 01.07-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 - Roll over request Round 7/2019 - Set to rejected  For polymerization in Polymer Emulsions
2922 19 00		4697079/2018	7900	2-benzylaminoethanol (CAS RN 104-63-2)	Q/70tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 roll over from previous round Round 7/2019 used as a binder in chemistry, for example , with chemical products used in contrast agents.
2923 20 00		1504093/2018	8014	Lecithin (CAS RN 8002-43-5) [from soy], for use in the manufacture of feed applications	Q/120000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 - Roll over request Round 2019-07  Lecithin is used in the production of complementary animal feed
ex 8482 99 00	20	1518429/2018	5050	AT(29.03.2019) -late request for amendment Brass cages - continuously or centrifugally cast, - turned, - containing by weight 35 % or more, but not more than 38 % of zinc,	Q/35000pieces, 01.01-31.12	Amendment	UNDER EXAMINATION	Round 2020-01 request for amendment Round 2019-01 accepted during 2nd ETQG meeting

<p>ex 8714 91 10 ex 8714 91 10 ex 8714 91 10</p>	<p>21 31 75</p>	<p>1095094/2012</p>	<p>7012</p>	<p>- containing by weight 0,75 % or more, but not more than 1,25 % of lead, - containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and - with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings</p> <p>Brass cages - continuously or centrifugally cast, - turned, - containing by weight 35 % or more, but not more than 38 % of tin, - containing by weight 0,75 % or more, but not more than 1,25 % of lead, - containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and - with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings</p> <p>Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including e-bikes) (1)</p>	<p>Q/350000pieces, 01.01-31.12</p>	<p><b>Amendment</b></p>	<p>UNDER EXAMINATION</p>	<p>the cages are used for the production of ball bearings</p> <p>Round 2020-01 - request for amendment. To delete the End use requirement</p> <p>A bicycle frame is the supporting construction of the bike. This part connects all the parts of the bike together</p>
--	-------------------------	---------------------	-------------	---	------------------------------------	-------------------------	--------------------------	--

## SUSPENSIONS

CN code	TARIC	Reference Mail	Working Number	Description	SUSPENSIONS	New or amendment request	Measure status	Public Comments
2008 99 99		1769249/2019	1067	Acai berry pulp: - from Euterpe Oleracea or Euterpe Precatoria species, - frozen, - pasteurised, - with a Brix below 10	S	New	UNDER EXAMINATION	Round 2020-01 used to produce finished products manufactured in Europe (Belgium, Holland and Spain) and sold in supermarkets, organic stores and restaurants
2809 20 00		1810914/2019	1069	Orthophosphoric acid(phosphoric acid) (CAS RN 7664-38-2)	S	New	UNDER EXAMINATION	ROUND 2020-01 used to make phosphate salts for fertilizers, dental cements, in the preparation of albumin derivatives, and in the sugar and textile industries
2903 78 00		1752131/2019	1055	Trifluoroiodomethane (CAS RN 2314-97-8)	S	New	UNDER EXAMINATION	Round 2020-01 used in stationary cooling installations
2905 39 95		1541196/2019	1001	Dodecane-1,12-diol (CAS RN 5675-51-4)	S	New	REJECTED	Round 2020-01 Diol-component for the manufacturing of Polyurethan-Systems Rejected because it was not detailed how EU production was excluded.
2906 29 00		2255449/2019	1094	3-[3-(Trifluoromethyl)phenyl]propan-1-ol (CAS RN 78573-45-2)	S	New	UNDER EXAMINATION	Round 2020-01

								Chemical compound intermediate for the manufacture of basic pharmaceutical compounds
2907 19 90		1752290/2019	1900	2-methyl-5-(propan-2-yl)phenol (CAS RN 499-75-2)	S	New	UNDER EXAMINATION	Round 2020-01 used for the production of natural aromas and essential oil mixtures
2908 19 00		1605473/2019	1020	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol (CAS RN 79-94-7)	S	New	UNDER EXAMINATION	Round 2020-01 chemical substance used to reduce the flammability, heat, smoke and toxicity of plastics, textiles and other materials of wide use
2909 44 00		1550131/2019	1006	2-Propoxyethanol (CAS RN 2807-30-9)	S	New	UNDER EXAMINATION	Round 2020-01 Solvents for paint formulations
2910 90 00		1699657/2019	1044	2-[(2-Methoxyphenoxy)methyl]oxirane (CAS RN 2210-74-4)	S	New	UNDER EXAMINATION	Round 2020-01 Used in the synthesis of active and pharmaceutical intermediates
2913 00 00		1576670/2019	1012	O-Nitrobenzaldehyde (CAS RN 552-89-6)	S	New	UNDER EXAMINATION	Round 2020-01 Used in the synthesis of pharmaceutical intermediates and active pharmaceutical ingredients (which are, for example, furtherly used for hypertension treatment), through a chemical process.

2914 29 00		1688866/2019	1036	2-Chloro-1-cyclopropylethanone (CAS RN 7379-14-8)	S	New	UNDER EXAMINATION	Round 2020-01 used in the manufacturing of a new Active Pharmaceutical Ingredient
2914 40 90		1941760/2019	1085	2-hydroxy-1-[4-(4-(2-hydroxy-2-methylpropionyl)phenoxy)phenyl]-2-methyl propan-1-one (CAS RN 71868-15-0)	S	New	UNDER EXAMINATION	Round 2020-01  Photo-initiator characterised by excellent reactivity. Used in clear lacquers for wood, plastic, paper, metal optical fibres, printing inks and food packaging.
2914 40 90		1941760/2019	1259	2-hydroxy-1-[4-(4-(2-hydroxy-2-methylpropionyl)phenoxy)phenyl]-2-methyl propan-1-one (CAS RN 71868-15-0)	S	New	UNDER EXAMINATION	Round 2020-01 for production of photo-curable Inks and coatings
2914 50 00		1605400/2019	1019	Octabenzone (CAS RN 1843-05-6)	S	New	UNDER EXAMINATION	Round 2020-01 used in agricultural applications, in synergy with a nickel quencher or an oligomeric HALS (hindered amine light stabilizers). It is also used (in synergism with an HALS) in plasticized PVC, coating and articles that can come into contact with food
2914 79 00		1639702/2019	1032	5-Chloro-2-hydroxybenzophenone (CAS RN 85-19-8)	S	New	UNDER EXAMINATION	Round 2020-01 used for the production of the drug used as antiviral

2914 79 00		1728345/2019	1053	(2-Chloro-5-iodo-phenyl)-(4-fluoro-phenyl)-Methanone (CAS RN 915095-86-2)	S	New	UNDER EXAMINATION	Round 2020-01 Therapeutic area cardiometabolic. Indication, type 2 diabetes via inhibition of renal glucose reabsorption (sGLT-2 inhibitor)
2916 39 90		1641900/2019	1034	2-(3,5-Bis(trifluoromethyl)phenyl)-2-methylpropanoic acid (CAS RN 289686-70-0)	S	New	UNDER EXAMINATION	Round 2020-01
2918 19 98		1541240/2019	1002	Ethyl 1-hydroxycyclopentanecarboxylate (CAS RN 41248-23-1)	S	New	UNDER EXAMINATION	Round 2020-01  The imported product is converted into a pesticide in a multi-stage chemical synthesis
2918 19 98		1541314/2019	1003	Ethyl 1-hydroxycyclohexanecarboxylate (CAS RN 1127-01-1)	S	New	UNDER EXAMINATION	Round 2020-01  raw material
2919 90 00		1605700/2019	1023	Triphenyl phosphate (CAS RN 115-86-6)	S	New	UNDER EXAMINATION	Round 2020-01 ed to impart improved processing properties, flame retardance and increase physical property performance in PVC, cellulose acetate, cellulose nitrate, PC/ABS, modified PPO and epoxy resins. End-use applications include films, lacquers and moulding powders

2919 90 00		1605648/2019	1022	Reaction mass of tris(2-chloropropyl) phosphate and tris(2-chloro-1-methylethyl) phosphate and Phosphoric acid, bis(2-chloro-1-methylethyl) 2-chloropropyl ester and Phosphoric acid, 2-chloro-1-methylethyl bis(2-chloropropyl) ester	S	New	UNDER EXAMINATION	Round 2020-01 used in textile back-coating formulations and special coatings, in adhesives and binding agents, insulating materials, extinguishing agents, fillers, construction materials, intermediates, and paints, lacquers, and varnishes. Used for the design and subsequent production of masterbatches.
2921 30 99		1728239/2019	1052	Bicyclo[1.1.1]pentan-1-amine hydrochloride (CAS RN 22287-35-0)	S	New	UNDER EXAMINATION	Round 2020-01 in clinical study phase 1 for Inflammatory Bowel Disease
2921 42 00		1692715/2019	1039	4-Chloroaniline (CAS RN 106-47-8)	S	New	UNDER EXAMINATION	Round 2020-01 used for the manufacture of Chlorhexidine, disinfectant and antiseptic agent, and its salts
2921 43 00		1641820/2019	1033	5-Bromo-4-fluoro-2-methylaniline (CAS RN 627871-16-3)	S	New	UNDER EXAMINATION	Round 2020-01 used in the manufacturing of a new Active Pharmaceutical Ingredient
2921 49 00		1541572/2019	1005	4-Isopropylaniline (CAS RN 99-88-7)	S	New	UNDER EXAMINATION	Round 2020-01 Precursor for the subsequent production of biocides, for use as a preservative in paints and varnishes

2922 39 00		1942791/2019	1088	4,4'-Bis(diethylamino)benzophenone (CAS RN 90-93-7)	S	New	UNDER EXAMINATION	Round 2020-01  Bimolecular photoinitiator suitable for UV-polymerisation of mono- or multifunctional (meth)acrylates
2922 39 00		1576895/2019	1013	Methylnitrofluorobenzophenone (CAS RN 735-06-8)	S	New	UNDER EXAMINATION	Round 2020-01 Used in the synthesis of pharmaceutical intermediates and active pharmaceutical ingredients (which are, for example, furtherly used for insomnia short term treatment), through a chemical process
2922 39 00		1942791/2019	1254	4,4'-Bis(diethylamino)benzophenone (CAS RN 90-93-7)	S	New	UNDER EXAMINATION	Round 2020-01 used it Photo-curable Inks and coatings
2923 90 00		1942055/2019	1086	N,N,N-Trimethyl-1-adamantylammonium hydroxide Tricyclo[3.3.1.1 <sup>3,7</sup> ]decan-1-aminium,N,N,N-trimethyl-,hydroxide (CAS RN 53075-09-5)	S	New	UNDER EXAMINATION	Round 2020-01  Structural directing agent for production of zeolites in car industry
2923 90 00		1940255/2019	1258	N,N,N-Trimethyl-1-adamantylammonium hydroxide (CAS RN 53075-09-5)	S	New	UNDER EXAMINATION	Round 2020-01 for production of zeolites (f.e. car industry), to reduce exhaust
2925 29 00		1721105/2019	1051	2- [carbamidoyl(methyl)amino]acetic acid (CAS RN 57-00-1)	S	New	UNDER EXAMINATION	Round 2020-01 used in the manufacture of specific physiological

								formulations with other ingredients
2926 90 70		1720872/2019	1093	Acetone cyanohydrin technical (CAS RN 75-86-5)	S	New	UNDER EXAMINATION	Round 2020-01 Acetone cyanohydrin technical for industrial use.
2928 00 90		1541381/2019	1095	Phoxim (ISO) (CAS RN 14816-18-3) [stabilised with 8 % or more but not more than 12 % by weight of n-butanol]	S	New	UNDER EXAMINATION	Round 2020-01- The imported product is formulated together with formulation auxiliaries, solvents and dyes into veterinary products, as an emulsifiable concentrate or as a usable product
2930 90 98		1811134/2019	1071	Potassium Ethyl Xanthate (CAS RN 140-89-6)	S	New	UNDER EXAMINATION	Round 2020-01 used for the recovery of minerals by ensuring the adhesion of lead and zinc minerals to the foam on lead and zinc flotation
2930 90 98		1811019/2019	1070	Potassium Amyl Xanthate (CAS RN 2720-73-2)	S	New	UNDER EXAMINATION	Round 2020-01 used for the recovery of minerals by ensuring the adhesion of lead and zinc minerals to the foam on lead and zinc flotation
2930 90 98		1720759/2019	1050	Methyl Sulfonyl Methane (MSM) (CAS RN 67-71-0)	S	New	UNDER EXAMINATION	Round 2020-01 used in the manufacture of specific physiological management formulations with other ingredients

2930 90 98		1942301/2019	1257	4-(4methylphenylthio)benzophenone (CAS RN 83846-85-9)	S	New	UNDER EXAMINATION	Round 2020-01 for production of Photo-curable Inks and coatings
2930 90 98		1942301/2019	1087	4-(4methylphenylthio)benzophenone (CAS RN 83846-85-9)	S	New	UNDER EXAMINATION	Round 2020-01 Highly effective Type II photoinitiator used to initiate radical polymerization of unsaturated monomers and oligomers
2930 93 98		1576966/2019	1014	Phenyl vinyl sulfone (CAS RN 5535-48-8)	S	New	UNDER EXAMINATION	Round 2020-01 Used in the synthesis of pharmaceutical intermediates and active pharmaceutical ingredients (which are, for example, furtherly used for migraine treatment), through a chemical process.
2931 39 90		1550296/2019	1009	2-Chloroethylphosphonic acid (CAS RN 16672-87-0) wether or not in aqueous solution	S	New	UNDER EXAMINATION	Round 2020-01 Growth regulator in cereals
2932 20 90		2337432/2019	1100	(5Z)-25-cyclohexyl-4'-o-de(2,6-dideoxy-3-o-methyl- $\alpha$ -L-arabino-hexopyranosyl)-5-demethoxy-25-de(1-methylpropyl)-22,23-dihydro-5-(hydroxyimino) (CAS RN 220119-17-5)	S	New	UNDER EXAMINATION	Round 2020-01 Usage: active substance in veterinary medicine
2932 99 00		1769116/2019	1066	12H-[1]BENZOFURO[3,2-c][1]benzoxepin-6-one (CAS RN 28763-77-1)	S	New	UNDER EXAMINATION	Round 2020-01 Chemical intermediate of active principle ingredient for the

								manufacture of pharmaceutical product
2933 19 90		2337354/2019	1099	5-Amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylsulfinyl-1H-pyrazole-3-carbonitrile	S	New	UNDER EXAMINATION	Round 2020-01 Usage: used as active substance in veterinary medicine
2933 39 99		2392296/2018	1106	Niraparib tosylate monohydrate (INN) (CAS 1613220-15-7)	S	New	REJECTED	2020-01 for the maintenance treatment of adult patients with recurrent epithelial ovarian, fallopian tube, or primary peritoneal cancer who are in complete or partial response to platinum-based chemotherapy.
2933 39 99		1692604/2019	1037	6-Chloro-4-(4-fluoro-2-methylphenyl)pyridin-3-amine hydrochloride	S	New	UNDER EXAMINATION	Round 2020-01
2933 39 99		1541481/2019	1004	Diflufenican (ISO) (CAS RN 83164-33-4)	S	New	UNDER EXAMINATION	Round 2020-01 active ingredient
2933 39 99		2392226/2019	1101	4-[7-[6-cyano-5-(trifluoromethyl)pyridin-3-yl]-8-oxo-6-sulfanylidene-5,7-diazaspiro[3.4]octan-5-yl]-2-fluoro-N-methylbenzamide (CAS RN 956104-40-8)	S	New	UNDER EXAMINATION	Round 2020-01 for use in conjunction with castration in the treatment of non-metastatic castration-resistant prostate cancer (NM-CRPC)
2933 39 99		1612736/2019	1028	Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate with a purity by weight of 99 % or more (CAS RN 52829-07-9)	S	New	UNDER EXAMINATION	Round 2020-01 used in the production of articles with a high specific surface such as films and tapes

2933 39 99		1752328/2019	1901	Avibactam (INN) – sodium (CAS RN 1192491-61-4)	S	New	UNDER EXAMINATION	Round 2020-01 used as enhancer for antibiotics, but does not have any antibiotic effects by itself
2933 59 95		2336939/2019	1098	3-Quinolinecarboxylic acid, 6,8-difluoro-1,4-dihydro-1-(methylamino)-7-(4-methyl-1-piperazinyl)-4-oxo (CAS RN 100276-37-7)	S	New	UNDER EXAMINATION	Round 2020-01 Usage: intermediate for the synthesis of marbofloxacin, used in veterinary medicine.
2933 69 80		1605871/2019	1025	1,3,5-triazinane-2,4,6-trione—1,3,5-triazine-2,4,6-triamine (1:1) (CAS RN 37640-57-6)	S	New	UNDER EXAMINATION	Round 2020-01 used as an effective flame retardant for electrical & electronic applications used in much other fields of application of the plastic's industry like PP, PE, unsaturated PO, Epoxy Resin
2933 69 80		1605570/2019	1021	1,3,5-tris(2,3-dibromopropyl)-1,3,5-triazinane-2,4,6-trione (CAS RN 52434-90-9)	S	New	UNDER EXAMINATION	Round 2020-01 flame retardant additive with applications in polyolefines, PVC, unsaturated polyesters, ABS, polyurethane foams, and synthetic rubber
2933 69 80		1612903/2019	1030	2-(4,6-Diphenyl-1,3,5-triazin-2-yl)-5-(hexyloxy)phenol (CAS RN 147315-50-2)	S	New	UNDER EXAMINATION	Round 2020-01 End-uses include solutions for windows, siding and fences (PVC and acrylics)

2933 79 00		1697324/2019	1041	N-METHYL-2-PYRROLIDONE, for use in the manufacture of motor vehicle batteries	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of motor vehicle batteries
2933 99 80		1612578/2019	1026	Bumetrizole (CAS RN 3896-11-5)	S	New	UNDER EXAMINATION	Round 2020-01 The end-uses include building/construction materials, fabric, textile, and leather products, furniture and furnishings, plastic and rubber products, Toys, playground, and sporting equipment
2933 99 80		1757572/2019	1059	1-[Bis(dimethylamino)methylene]-1H-benzotriazolium hexafluorophosphate(1-)-3-oxide (CAS RN 6386-24-9)	S	New	UNDER EXAMINATION	Round 2020-01 for the production of active pharmaceutical ingredients
2933 99 80		2392333/2019	1102	3S,4R)-3-ethyl-4-(1,5,7,10-tetrazatricyclo[7.3.0.0.2,6]dodeca-2(6),3,7,9,11-pentaen-12-yl)-N-(2,2,2-trifluoroethyl)pyrrolidine-1-carboxamide (CAS RN 1310726-60-3)	S	New	REJECTED	Round 2020-01  This request was rejected because it was not detailed how EU production was excluded.
2934 99 90		2335829/2019	1097	(2E)-N-[4-(3-kloro-4-floroanilino)-7-{{(3S)-oksolan-3-il}oksi}kinoksazolin-6-il]-4-(dimetilamino)but-2-enamid, (2Z)-2-butenedioat (1:2) (CAS RN 850140-73-7)	S	New	UNDER EXAMINATION	Round 2020-01 a drug for the first-line treatment of patients with distinct types of metastatic (EGFR mutation positive) non-small cell lung carcinoma
2934 99 90		1692643/2019	1038	(7S,9aS)-7-((benzyloxy)methyl)octahydropyrazino[2,1-c][1,4]oxazine dioxalate	S	New	UNDER EXAMINATION	Round 2020-01

2934 99 90		2395827/2019	1103	Rel-(3aR,12bR)-11-Chloro-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz[2,3:6,7]oxepino[4,5-c]pyrrol-1-one (CAS RN 129385-59-7)	S	New	UNDER EXAMINATION	Round 2020-01 Intermediate for production of a pharmaceutical ingredient (API) for human medicine
2934 99 90		1615692/2019	1031	1-[(2R,3R,4S,5R)-3,4-dihydroxy-5-(hydroxymethyl)oxolan-2-yl]-4-hydroxy-1,3-diazinan-2-one	S	New	UNDER EXAMINATION	Round 2020-01 sed together with cytidine-based drugs in the research and development of new products for the treatment of cancer and sickle-cell disease
2940 00 00		1752421/2019	1057	2,3,4,6-Tetrakis-O-(phenylmethyl)-D-galactopyranose (CAS RN 6386-24-9)	S	New	UNDER EXAMINATION	Round 2020-01 raw material for the production of active pharmaceutical ingredients
3204 13 00		1903565/2019	1078	C.I. Basic Red 18:1 dye (CAS RN 12271-12-4) and 35 % or more by weight of C.I. Basic Red 18:1 preparations	S	New	UNDER EXAMINATION	Round 2020-01
3204 13 00		1904250/2019	1231	C.I. Basic Yellow 28 dye (CAS RN 58798-47-3) and 20 % or more by weight of C.I. Basic Yellow 28 preparations	S	New	UNDER EXAMINATION	Round 2020-01 used for Dyeing Clothing, carpets, etc.
3204 13 00		1902327/2019	1076	C.I. Basic Blue 3 dye (CAS RN 33203-82-6) and 30 % or more by weight of C.I. Basic Blue 3preparations	S	New	UNDER EXAMINATION	Round 2020-01
3204 13 00		1903775/2019	1079	C.I. Basic Yellow 51 dye (CAS RN 83949-75-1) and 20 % or more by weight of C.I. Basic Yellow 51 preparations	S	New	UNDER EXAMINATION	Round 2020-01
3204 13 00		1903484/2019	1077	C.I. Basic Black Mix dye (CAS RN 54060-92-3 ve 105953-73-9 ve 12221-	S	New	UNDER EXAMINATION	Round 2020-01

				69-1) and 60 % or more by weight of C.I. Basic Black Mix preparations				
3204 13 00		1904250/2019	1083	C.I. Basic Yellow 28 dye (CAS RN 58798-47-3) and 20 % or more by weight of C.I. Basic Yellow 28 preparations	S	New	UNDER EXAMINATION	Round 2020-01
3204 13 00		1901726/2019	1075	C.I. Basic Violet 16 dye (CAS RN 6359-45-1) and 70 % or more by weight of C.I. Basic Violet 16 preparations	S	New	UNDER EXAMINATION	Round 2020-01
3204 31 00		1903725/2019	1096	C.I. Basic Red 46 dye (CAS RN 62163-53-5) and 50 % or more by weight of C.I. Basic Red 46 preparations.	S	New	UNDER EXAMINATION	Round 2020-01- End-use of that product: Clothing, carpets, etc.
3812 39 90		1612798/2019	1029	N,N'-bis(2,2,6,6-tetramethylpiperidin-4-yl)hexane-1,6-diamine,2,4,6-trichloro-1,3,5-triazine; 2,4,4-trimethylpentan-2-amine (CAS RN 70624-18-9)	S	New	UNDER EXAMINATION	Round 2020-01 Used in polyolefins (PP, PE), olefin copolymers such as EVA and on PP mixtures with elastomers
3814 00 90		1943415/2019	1252	2-(2H-Benzotriazol-2-yl)-6-(1-Methyl-1-Phenethyl)-4-(1,1,3,3-Tetramethylbutyl)phenol (CAS RN 73936-91-1)	S	New	UNDER EXAMINATION	Round 2020-01 This is used as a benzotriazole type UV absorber. Used in automotive coatings, industrial and powder coatings.
3814 00 90		1943243/2019	1090	Benzoic acid, 4-[[[(methylphenylamino)methylene]amino]-ethyl ester (CAS RN 57834-33-0)	S	New	UNDER EXAMINATION	Round 2020-01  UV absorber for plastic applications due to its light stability
3814 00 90		1943158/2019	1089	UV absorber containing	S	New	UNDER EXAMINATION	Round 2020-01

				<p>- 80 % but not more than 90 % by weight of reaction products 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-hydroxyphenol with ((C10-16, rich in C12-13 alkyloxy)methyl)oxyrane (CAS RN 153519-44-9)</p> <p>and</p> <p>- 10 % but not more than 20 % by weight of 1-Methoxy-2-propanol (CAS RN 107-98-2)</p>				Used in automotive, industrial and plastic coatings
3814 00 90		1943415/2019	1091	2-(2H-Benzotriazol-2-yl)-6-(1-Methyl-1-Phenethyl)-4-(1,1,3,3-Tetramethylbutyl)phenol (CAR RN 73936-91-1)	S	New	UNDER EXAMINATION	Round 2020-01  Used in automotive coatings, industrial and powder coatings
3814 00 90		1943158/2019	1250	UV absorber containing: <p>- 80 % or more but not more than 90 % by weight of reaction products 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-hydroxyphenol with ((C10-16, rich in C12-13 alkyloxy)methyl)oxyrane (CAS RN 153519-44-9),</p> <p>- 10 % or more but not more than 20 % by weight of 1-Methoxy-2-propanol (CAS RN 107-98-2)</p>	S	New	UNDER EXAMINATION	Round 2020-01 intended use of the imported product- As a hydroxyphenyl triazine type UV absorber for coating applications. Used in automotive, industrial and plastic coatings.
3814 00 90		1943243/2019	1251	Benzoic acid, 4-[[[(methylphenylamino)methylene]amino]-ethyl ester (CAS RN 57834-33-0)	S	New	UNDER EXAMINATION	Round 2020-01 This is used as a benzotriazole type UV absorber. Used in automotive coatings, industrial and powder coatings

3824 78 90		1752147/2019	1056	Mixture of halogenated derivatives containing: <ul style="list-style-type: none"> <li>- by weight 30 % or more but not more than 60 % difluoromethane (CAS 75-10-5)</li> <li>- by weight 30 % or more but not more than 60 % trifluoroiodomethane (CAS 2314-97-8)</li> <li>- by weight 10 % or more but not more than 30 % pentafluoroethane (CAS 354-33-6)</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 used in stationary cooling installations
3824 99 92		1605793/2019	1024	Preparation containing by weight: <ul style="list-style-type: none"> <li>- at least 72) % but not more than 95 %) of Isopropylated Triaryl Phosphate (CAS RN 68937-41-7) and related oligomers,</li> <li>- at least 5) % but not more than 35 % of triphenyl phosphate (CAS RN 115-86)</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 used for: EPDM, PVC, HIPS, PC / ABS, PPO / HIPS, rigid and flexible polyurethane, TPU, epoxy resins, phenolic resins, coating paints, coatings for the textile sector
3824 99 92		1697432/2019	1042	Electrolyte composed of: <ul style="list-style-type: none"> <li>- lithium salt of 5 % or more but not more than 20 % including Lithium hexafluorophosphate, Lithium tetrafluoroborate,</li> <li>- organic solvents of 60 % or more but not more than 90 % including ethylene carbonate, dimethyl carbonate, ethyl methyl carbonate,</li> <li>- additives of 0,5 % or more but not more than 20 % including 1,3,2-Dioxathiolane 2,2-dioxide, Lithium tetrafluoroborate</li> </ul> for use in the manufacture of motor vehicle batteries (1)	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of motor vehicle batteries
3824 99 96		2110880/2019	1253	Nonhalogenated flame retardant containing by weight:	S	New	UNDER EXAMINATION	Round 2020-01

				<ul style="list-style-type: none"> <li>- 50 % or more, but not more than 65 % piperazine pyrophosphate (CAS RN 66034-17-1),</li> <li>- 35 % or more, but not more than 45 % of a phosphoric acid derivative and</li> <li>- not more than 6 % zinc oxide (CAS RN 1314-13-2)</li> </ul>				used in electrical and electronic applications (engineered plastics)
3824 99 96		2110880/2019	1092	<p>Nonhalogenated flame retardant containing by weight:</p> <ul style="list-style-type: none"> <li>- 50 % or more, but not more than 65 % piperazine pyrophosphate (CAS RN 66034-17-1),</li> <li>- 35 % or more, but not more than 45 % of a phosphoric acid derivative and</li> <li>- not more than 6 % zinc oxide (CAS RN 1314-13-2)</li> </ul>	S	New	UNDER EXAMINATION	<p>Round 2020-01</p> <p>Used as a polymer additive</p>
3907 99 80		1612653/2019	1027	Poly[[dimethylbutanedioate-co-1-(2-hydroxyethyl)-2,2,6,6-tetramethylpiperidin-4-ol]] (CAS RN 65447-77-0)	S	New	UNDER EXAMINATION	<p>Round 2020-01</p> <p>The final uses include adhesives, sealants and spin finishes</p>
3920 51 00		1766954/2019	1063	<p>Film or plate consisting of:</p> <ul style="list-style-type: none"> <li>- 35 % or more but not more than 55 % poly(methyl methacrylate) and</li> <li>- 35 % or more but not more than 50 % acrylic styrene copolymer</li> <li>- with a decorative layer of varying colour and composition</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01
5803 00 99		1766798/2019	1061	<p>Stator body of stacked electrical sheet having</p> <ul style="list-style-type: none"> <li>- an inner diameter of 18 mm or more, but not more than 35 mm,</li> <li>- an outer diameter of 35 mm or more, but not more than 65 mm and</li> <li>- a length or 20 mm or more, but not more than 65 mm</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 used in the production of brushless electrical motors

				[of a kind used in the production of brushless electrical motors]				
7005 30 00		2545325/2019	1105	UV stable cross mesh wired glass with a: <ul style="list-style-type: none"> <li>- thickness of 7,2 mm or more but not more than 7,4 mm</li> <li>- U value of 5,7 W/m<sup>2</sup> K or less (according to ISO 52022-3)</li> <li>- E90 fire resistance rating (according to DIN 4102)</li> <li>- sound insulation value of 32 dB (-2; -3) (according to ISO 717-1)</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 The product is cut to size and then fitted into either steel or timber systems. The end product is a window
7410 11 00		1697506/2019	1043	Copper foil, not backed of refined copper, as a battery anode substrate, for use in the manufacture of motor vehicle batteries (1)	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of motor vehicle batteries
7604 21 00		1720548/2019	1054	Hollow profiles of aluminum alloys with a thickness of 0,5 mm or more, but not more than 0,7 mm and finish anodized of 10MY, for use in the manufacture of board frames of whiteboards, cork boards, easel boards, education boards and display cases (1)	S	New	UNDER EXAMINATION	Round 2020-01
7607 19 10		1699786/2019	1045	Aluminium foil, not backed, not laminated, not covered and not combined with other material, for use in the manufacture of motor vehicle batteries (1)	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of motor vehicle batteries
7608 20 81		1699901/2019	1046	Seamless aluminium alloyed extruded tubes with: <ul style="list-style-type: none"> <li>- an outer diameter of 320 mm or more but not more than 400 mm, and</li> <li>- a wall thickness of 8 mm or more but not more than 10 mm</li> </ul> for use in the manufacture of high pressure vessels	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of high pressure vessels

				(1)				
7608 20 89		1699974/2019	1047	<p>Seamless aluminium alloyed tubes after/with flow forming process with:</p> <ul style="list-style-type: none"> <li>- an outer diameter of 378 mm or more but not more than 385 mm, and</li> <li>- a wall thickness of 4 mm or more but not more than 7 mm</li> </ul> <p>for use in the manufacture of high pressure vessels (1)</p>	S	New	UNDER EXAMINATION	Round 2020-01
8409 99 00		1603620/2019	1018	<p>High pressure fuel rail for fuel supply into engine injectors with:</p> <ul style="list-style-type: none"> <li>- at least one pressure sensor and one valve,</li> <li>- length of 314 mm or more but not more than 322 mm,</li> <li>- an operating pressure not more than 225 MPa,</li> <li>- an inlet temperature not more than 95°C,</li> <li>- ambient temperature of -45°C or more but not more than 145°C,</li> <li>- made from galvanized ferrite-pearlite steel</li> </ul> <p>for use in the manufacture of compression ignition engines of motor vehicles (1)</p>	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of compression ignition engines of motor vehicles
8409 99 00		1603492/20	1016	<p>Duct for outlet and air cooling from turbocharger containing:</p> <ul style="list-style-type: none"> <li>- an aluminum alloy duct with at least one metal holder and at least two mounting holes,</li> <li>- a rubber part with clips,</li> <li>- a flange from stainless steel highly resistant to corrosion SUS430JIL,</li> </ul> <p>for use in the manufacture of compression ignition engines of motor vehicles (1)</p>	S	New	UNDER EXAMINATION	Round 2020-01

8482 10 10 8482 10 90		1550194/2019	1007	<p>Ball bearings / ball bearing cartridges:</p> <ul style="list-style-type: none"> <li>- with an internal diameter of 3 mm or more, but not more than 14 mm,</li> <li>- with an external diameter of 17 mm or more, but not more than 36 mm,</li> <li>- with a width of 6 mm or more, but not more than 69 mm,</li> <li>- manufactured according to ANSI Standard 20 - ABEC 5 or ISO 492 - Class 5 or DIN 620 - P5,</li> </ul> <p>for use in turbo compressors of the kind used in motor vehicles (electric turbocharger and exhaust gas turbocharger)</p> <p>(1)</p>	S	New	UNDER EXAMINATION	Round 2020-01 for use in turbo compressors of the kind used in motor vehicles (electric turbocharger and exhaust gas turbocharger)
8482 10 10		1642824/2019	1035	<p>Ball bearings:</p> <ul style="list-style-type: none"> <li>- with an internal diameter of 4 mm or more,</li> <li>- with an external diameter of not more than 26 mm,</li> <li>- with a width of not more than 8 mm</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 for installation into electromotors with high number of revolutions per minute
8501 52 90		1791527/2019	1068	<p>AC traction motor of the Interior Permanent Magnet Synchronous Motor (IPMSM) type which develops:</p> <ul style="list-style-type: none"> <li>- torque output between 200 Nm and 400 Nm</li> <li>- power output between 50kW and 200kW</li> <li>- max speed no more than 12500 rpm</li> </ul> <p>for use in the manufacture of electric vehicles</p> <p>(1)</p>	S	New	UNDER EXAMINATION	Round 2020-01
8503 00 99		1752439/2019	1058	<p>Deep drawn steel motor housing having</p> <ul style="list-style-type: none"> <li>- an inner diameter of 35 mm or more but not more than 65 mm,</li> </ul>	S	New	UNDER EXAMINATION	2020-01-01

				<ul style="list-style-type: none"> <li>- an outer diameter of 35 mm or more but not more than 70 mm and</li> <li>- a length of 35 mm or more but not more than 150 mm</li> </ul> <p>[of a kind used in the production of brushless electrical motors]</p>				
8503 00 99		1757735/2019	1060	<p>Rotor body of stacked electrical sheet having</p> <ul style="list-style-type: none"> <li>- a diameter of 18 mm or more, but not more than 35 mm and</li> <li>- a length of 20 mm or more, but not more than 65 mm</li> </ul> <p>[of a kind used in the production of brushless electrical motors]</p>	S	New	UNDER EXAMINATION	2020-01
8504 31 80		1767101/2019	1064	<p>Electrical transformer with:</p> <ul style="list-style-type: none"> <li>- a capacity of 240 Watts,</li> <li>- an operating temperature range of + 10 °C or more, but not more than + 125 °C,</li> <li>- five inductively coupled copper wire windings,</li> <li>- 11 connection pins at the bottom and</li> <li>- dimensions of not more than 31,3 mm x 37,8 m x 25,8 mm</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 used for the production of mechatronic system solutions for adjustable home and office furniture
8505 11 00		2200145/2019	1255	<p>Product containing neodymium, iron and boron, or an alloy of samarium and cobalt in shape of a square or rectangle, intended to become permanent magnets after magnetization, with dimensions:</p> <ul style="list-style-type: none"> <li>- a length of 14 mm or more but not more than 45 mm (<math>\pm 0,2</math> mm),</li> <li>- a width of 8 mm or more but not more than 25 mm (<math>\pm 0,2</math> mm),</li> <li>- a thickness of 1,5 mm or more but not more than 4,5 mm (<math>\pm 0,2</math> mm)</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 to be further on installed into electromotors

8505 19 10		2200205/2019	1256	<p>Permanent magnets of agglomerated ferrite, in shape of square, rectangle, rings, tubes, bushings or collars:</p> <ul style="list-style-type: none"> <li>- a length of 17 mm or more, but not over 110 mm (<math>\pm 0,2</math> mm),</li> <li>- of width 15 mm or more, but not over 75 mm (<math>\pm 0,2</math> mm),</li> <li>- of thickness 5 mm or more, but not over 13 mm (<math>\pm 0,2</math> mm),</li> </ul> <p>meant to be installed on rotor of electromotor that is used in applications in ventilation and air-conditioning systems</p>	S	New	UNDER EXAMINATION	Round 2020-01
8507 50 00		1897906/2019	1073	<p>Nickel-Metal Hydride (NiMh) Battery, with:</p> <ul style="list-style-type: none"> <li>- a voltage of 150 V or more but not more than 300 V,</li> <li>- a length of 300 mm or more but not more than 500 mm,</li> <li>- a width of 675 mm or more but not more than 1125 mm,</li> <li>- a height of 140 mm or more but not more than 235 mm,</li> </ul> <p>for use in the manufacture of motor vehicles of Chapter 87 (1)</p>	S	New	UNDER EXAMINATION	Round 2020-01
8507 60 00		1768406/2019	1065	<p>Mobile Phone Battery:</p> <ul style="list-style-type: none"> <li>- a thickness is not more than 5 mm,</li> <li>- a width is not more than 80 mm,</li> <li>- a length is not more than 155 mm,</li> <li>- a nominal capacity of 1,000 mAh or more but not more than 10,000 mAh,</li> <li>- an internal resistance max. 200 mAh, -</li> <li>- a charging and nominal voltage 3,5V and above</li> <li>- a weight is not more than 150 g,</li> <li>- intended use of Smartphone production</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01

				for use in the manufacture of products falling within subheading 8517 12 00 (1)				
8507 60 00		1603530/2019	1017	Integrated battery system in a metal case with holders, consisting of: <ul style="list-style-type: none"> <li>- a lithium-ion battery with voltage of 48V (<math>\pm</math> 5 V) and capacity of 0,44 kWh (<math>\pm</math> 0,5 kWh),</li> <li>- Battery Management System,</li> <li>- a relay,</li> <li>- a low voltage converter (DC/DC),</li> <li>- at least one connector</li> </ul> for use in the manufacture of mild-hybrid motor vehicles (1)	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of mild-hybrid motor vehicles
8507 60 00		1898166/2019	1074	Battery assy, hybrid/lithium ion battery	S	New	UNDER EXAMINATION	ROUND 2020-01
8528 59 00		1578515/2019	1015	Complex electronic device with LCD touch screen display powered by a voltage of 12 V or more but not more than 14,4 V, containing: <ul style="list-style-type: none"> <li>- LCD control processor,</li> <li>- GPS module,</li> <li>- Bluetooth module,</li> <li>- USB port,</li> <li>- radio signal tuner,</li> <li>- whether or not DAB module,</li> <li>- whether or not functions for cooperation with E-CALL,</li> <li>- whether or not an integrated control panel,</li> <li>- whether or not connectors</li> </ul> for use in the manufacture of goods of Chapter 87 (1)	S	New	UNDER EXAMINATION	Round 2020-01 for use in the manufacture of goods of Chapter 87
8536 41 90		1766877/2019	1062	Power relay with: <ul style="list-style-type: none"> <li>- electromechanical and electromagnetical switching function,</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 used for the production of mechatronic system

				<ul style="list-style-type: none"> <li>- a load current of 3 amperes or more but not exceeding 16 amperes,</li> <li>- a coil voltage of 5 volts or more but not exceeding 24 volts,</li> <li>- a distance between the connector pins of the load circuit not more than 15,6 mm</li> </ul>				solutions for adjustable home and office furniture
8714 96 30		1550432/2019	1011	<p>Crank set, consisting of:</p> <ul style="list-style-type: none"> <li>- two crank arms,</li> <li>- one or more chainrings,</li> <li>- with or without bottom bracket and mounting material</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 Crank set is a unit of the bicycle which consists of several chain rings and the cranks; it is used to transmit the torque to move on a bicycle; Used in the manufacture of bicycles
8714 99 50		1550343/2019	1010	<p>Derailleur system, consisting of:</p> <ul style="list-style-type: none"> <li>- rear derailleur,</li> <li>- with or without front derailleur and mounting material</li> </ul>	S	New	UNDER EXAMINATION	Round 2020-01 The derailleur is a change-over-gear shifter used in the bicycles; Used in the manufacture of bicycles
8714 99 90		1550250/2019	1008	Stem for bicycle handlebars	S	New	UNDER EXAMINATION	Round 2020-01 used in the manufacture of bicycles

CN code	TARIC	Reference Mail	Working Number	Description	S/Q	New or amendment request	Measure status	Public Comments
0402 21 18		3041752/2013 4705818/2018	8023	<p>Round 2019-07: <b>11/12/18- UK new proposal:</b> Milk of camels of the species <i>Camelus dromedaries</i>, in powder form for use in the manufacture of dairy products, baby food, power drinks and chocolate</p> <p>Milk of camels of the species <i>Camelus dromedaries</i>, in powder form for use in the manufacture of dairy products and baby food as well as power drinks and chocolate</p> <p>*** Milk of camels of the species <i>Camelus dromedaries</i>, in powder form for use in the manufacture of chocolate and sweets [with a value (customs value) of 10 Euro per kg or more] --- AT - Feb 2014 ---</p> <p>Milk of camels of the species <i>Camelus dromedaries</i>, in powder form for use in the production of chocolate and sweets (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 1/2020 roll over request Round 7/2019 re-submission - rejected. REJECTED</p> <p>COM: OBJECTION The camel milk will in first line be used for the production of dairy products and baby food</p> <p>see Round 2014-07-01</p> <p>ROUND 2014-07-01 &gt;&gt; The camel milk will in first line be used for chocolate production. Other uses (production of sweets) are currently examined.</p> <p>&gt;&gt;&gt; Goods produced from camel milk are not in competition with goods produced from cow milk. Consequently there is no danger that they might drive cow milk products from the market. However, a suspension would result in a replacement of imported goods by goods produced in the EU.</p>

ex 2710 19 81 ex 2710 19 99	10 30	1254190/2015 3016685/2013	8013	<p><b>22/1/19 - BE:</b> Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:</p> <ul style="list-style-type: none"> <li>- 90 % or more by weight of saturates, and</li> <li>- not more than 0,03 % by weight of sulphur,</li> </ul> <p>With a viscosity index of 120 or more, or With a kinematic viscosity not more than 5.0 cSt @100C and a viscosity index of 80 or more.</p> <p><b>NL(03.05.2018):</b> Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:</p> <ul style="list-style-type: none"> <li>- 90 % or more by weight of saturates, and</li> <li>- not more than 0,03 % by weight of sulphur,</li> </ul> <p>with a viscosity index of 120 or more</p> <p>Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:</p> <ul style="list-style-type: none"> <li>- 90 % or more by weight of saturates, and</li> <li>- not more than 0,03 % by weight of sulphur,</li> </ul> <p>with a viscosity index of 80 or more</p>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 - Request for amendment- rejected (roll over). Round 7/2019 - Request for amendment- Rejected</p> <p>Round 2019-01 - Prolongation ex 2019, "green list item" Request for amendment - Rejected. Objection withdrawn by the applicant. Will be discussed again in the next round.</p> <p>The chemical name of the substance is also lubricating oils (petroleum), C20-C50, and hydrotreated neutral oil-based. Relevant characteristics are viscosity, viscosity index, pour point, flash point, colour, Noack, Volatility, and density. (Please see relevant data sheets). &gt;&gt; what the finished product is: Premium lubricating oils</p>
ex 2826 90 80	10	1431876/2018 964029/2011	8500	Lithium hexafluorophosphate (1-) (CAS RN 21324-40-3)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment Round 2019-07 - Amendment.

								Mandatory review date 31/12/2019 This case will be discussed again in the next Round. Round 2019-01 - Resubmission. Used in the formulated electrolyte for lithium ion batteries./
ex 2841 90 85	10	1060/2007	8516	Lithium cobalt(III) oxide (CAS RN 12190-79-3) with a cobalt content of at least 59 %	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Amendment  trade name : CELLSEED C-8G round 1.7.2012 = change request rejected, suspension continuous unchanged
ex 2909 30 90	25	5450733/2016	8123	1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion containing by weight 30 % or more but not more than 60 % of 1,2-diphenoxyethane	S	<b>Amendment</b>	UNDER EXAMINATION	ROUND 2017-07 End-use of imported product: Processing of paper
ex 2920 90 10	15	1432061/2018	8501	Ethyl methyl carbonate (CAS RN 623-53-0)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment Round 2019-07 - Amendment. Mandatory review date 31/12/2019 This case will be discussed again in the next Round. Round 2019-01 Accepted during the 3rd ETQG meeting
ex 2920 90 10	25	1432015/2018	8502	Diethyl carbonate (CAS RN 105-58-8)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment Round 2019-07 - Amendment.

								<p>Mandatory review date 31/12/2019 This case will be discussed again in the next Round.</p> <p>The component is one of the solvents used in the formulated electrolyte for lithium ion batteries. The formulated electrolyte enables lithium ion to move between anode and cathode</p>
ex 2920 90 10	35	1432107/2018	8503	Vinylene carbonate (CAS RN 872-36-6)	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 - Amendment Round 2019-07 - Amendment. Mandatory review date 31/12/2019 This case will be discussed again in the next Round.</p> <p>The component is one of the additives used in the formulated electrolyte for lithium ion batteries</p>
ex 3204 13 00	15	4546104/2017	8010	<p><b>TR (15.03.2019) new text proposal:</b> Colourant C.I. Basic Blue 41 dye (CAS RN 69852-41-1) and 20 % or more by weight of C.I. Basic Blue 41 preparations</p> <p>Colourant C.I. Basic Blue 41 (CAS RN 12270-13-2) and preparations based thereon with a colourant C.I. Basic Blue 41 content of 50 % or more by weight</p>	S	<b>Amendment</b>	UNDER EXAMINATION	ROUND 2020-1

ex 3204 13 00	35	4546201/2017	8011	<p><b>TR(15.03.2019) request for amendment:</b> C.I. Basic Yellow 28 dye (CAS RN 54060-92-3) and 50 % or more by weight of C.I. Basic Yellow 28 preparatio</p> <p>Colourant C.I. Basic Yellow 28 (CAS RN 54060-92-3) and preparations based thereon with a colourant C.I. Basic Yellow 28 content of 75 % or more by weight</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	<p>Round 2020-01 - Request for amendment ROUND 2018</p> <p>C.I. Basic yellow 28 dye (CAS RN 54060-92-3)</p>
ex 3204 13 00	45	4546229/2017	8012	<p><b>TR (15.03.2019) Requested amended description:</b> C.I. Basic Blue Mix (Blue 3+Blue 159) dye (CAS RN 33203-82-6 + CAS RN: 105953-73-9) and 40 % or more by weight of C.I. Basic Blue Mix (Blue 3+Blue 159) preparations</p> <p>Mixture of colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and colourant C.I. Basic Blue 159 (CAS RN 105953-73-9) with a colourant Basic Blue content of 60 % or more by weight</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	<p>Round 2020-01 - request for amendment. ROUND 2018</p> <p>C.I. Basic blue mix (blue 3 and blue 159) dye (CAS RN MIX (33273-26-6, 81921-84-8))</p>
3204 20 00		4861449/2018	8015	<p>Colourant C.I. Fluorescent Brightener 71 (CAS RN 16090-02-1) and preparations based thereon with a colourant C.I. Fluorescent Brightener 71 content of 60 % or more by weight</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	<p>Round 2020-01 - roll over request</p> <p>Round 7/2019 It is mainly used for the synthetic detergent such as washing powder, liquid detergent, softener, toilet soap and perfumed soaps etc.</p>

ex 3506 91 10 ex 3506 91 90	30 30	907/05 PROLONG 2019	8901	Two component microencapsulated epoxy adhesive dispersed in a solvent	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment. CN 3506 91 10 is duty free(ITA 2)
ex 3707 10 00	10	280/3/1996 PROLONG 2019	7000	Photosensitive emulsion for the sensitization of silicon discs (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01- Amendment Classification issue
ex 3707 10 00	15	733/05 PROLONG 2019	7001	Sensitising emulsion consisting of: - by weight not more than 12 % of diazooxonaphthalenesulphonic acid ester - phenolic resins in a solution containing at least 2-methoxy-1-methylethyl acetate or ethyl lactate or methyl 3-methoxypropionate or 2-heptanone	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 – Classification issue
ex 3707 10 00	25	734/05 PROLONG 2019	7002	Sensitising emulsion containing: - phenolic or acrylic resins - a maximum 2 % by weight of light sensitive acid precursor, in a solution containing 2-methoxy-1-methylethyl acetate or ethyl lactate	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Classification issue  Prolongation Exercise 2019-01-01 Prolongation Exercise 1/1/2014
ex 3707 10 00	30	908/05 PROLONG 2019	7003	Preparation based on photosensitive acrylic containing polymer, containing colour pigments, 2-methoxy-1-methylethylacetate and cyclohexanone and whether or not containing ethyl-3-ethoxypropionate	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Classification issue
ex 3707 10 00	35	256960/2009 882/06	7004	Sensitising emulsion or preparation containing one or more of: - acrylate polymers,	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Classification issue

				<ul style="list-style-type: none"> <li>- methacrylate polymers,</li> <li>- derivatives of styrene polymers,</li> </ul> containing by weight not more than 7 % of photosensitive acid precursors, dissolved in an organic solvent containing at least 2-methoxy-1-methylethyl acetate				prolongation exercise 1.1.2017 TARIC code 3707 90 90 70 deleted since it is duty free due to ITA  trade name : ARF resists
ex 3707 10 00	50	1172/2009 PROLONG 2015	7005	Photosensitive emulsion containing by weight: <ul style="list-style-type: none"> <li>- 20 % or more but not more than 45 % of copolymers of acrylates and/or methacrylates and hydroxystyrene derivatives,</li> <li>- 25 % or more but not more than 50 % of organic solvent containing at least ethyl lactate and/or propylene glycolmethylether acetate,</li> <li>- 5 % or more but not more than 30 % of acrylates,</li> <li>- not more than 12 % of a photoinitiator</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Classification issue
ex 3707 10 00	55	313284/2013 PROLONG 2019	7006	Dielectric coating, buffering mechanical stress, consisting of a radically photopatternable polyamide-precursor with unsaturated carbon in the side-chains which is convertible into a polyimide, in form of a solution from N-methyl-2-pyrrolidone or N-ethyl-2-pyrrolidone with a polymer content by weight 10 % or more	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Classification issue Trade name "Pimel I-8124 F" Pimel I-8124 F is a yellowish-brown, clear, viscous chemical preparation for photographic purposes (light-sensitive emulsion for photolithography), consisting of polyimide/amide solved in N-methyl-c-pyrrolidone. The product is used for the

								sensibilisation of wafers (silicon discs)
ex 3811 21 00	27	454048/2013 Prologation exercise 1/1/2019	8003	<p><b>BE (14.03.19) new text proposal:</b> Additives containing:</p> <ul style="list-style-type: none"> <li>- 10 % or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 3-nitroaniline, and</li> <li>- mineral oils,</li> </ul> <p>for use in the manufacture of lubricating oils</p> <p>Additives containing:</p> <ul style="list-style-type: none"> <li>- 20 % or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 4-(4-nitrophenylazo)aniline and 3-nitroaniline, and</li> <li>- mineral oils,</li> </ul> <p>for use in the manufacture of lubricating oils (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>ROUND 2020-01 - Amendment ROUND 2019-01 Prolongation exercise 1/1/2019. Request for 1 year prolongation - Accepted</p> <p>ROUND 2014-07-01: Roll over from previous round due to a late text amendment</p> <p>ROUND 2014-01-01 The product is a dispersant viscosity modifier that is compatible with additive packages (concentrates) for lubricants. The dispersant mixture is further post-treated with small amount of dodecyl succinic anhydride to react with residual amino compounds to make monosuccinimide structures. The product imparts dispersancy and viscosity improvements to the lubricants and is particularly useful to prevent soot thickening especially for diesel engine oils.</p>

ex 3811 29 00	25	827274/2014	8004	BE(15.3.19) new text proposal: Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils, including greases  Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment ROUND 2015-01 Its main function is as an anti-wear agent and extreme pressure agent intended for further blending with other additives and lubricating oil base stocks to produce finished lubricants used primarily in gear oils and transmission fluids
ex 3824 99 92	25	5654333/2016	8519	Preparation containing by weight: - 25 % or more but not more than 50 % of diethyl carbonate (CAS RN 105-58-8) - 25 % or more but not more than 50 % of ethylene carbonate (CAS RN 96-49-1) - 10 % or more but not more than 20 % of lithium hexafluorophosphate (CAS RN 21324-40-3) - 5 % or more but not more than 10 % of ethyl methyl carbonate (CAS RN 623-53-0) - 1 % or more but not more than 2 % of vinylene carbonate (CAS RN 872-36-6) - 1 % or more but not more than 2 % of 4-fluoro-1,3-dioxolane-2-one (CAS RN 114435-02-8) - Not more than 1 % of 1,5,2,4-Dioxadithiane 2,2,4,4-tetraoxide (CAS RN 99591-74-9)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01- Amendment Formulated electrolyte for lithium-ion batteries
ex 3824 99 92	78	3114/8/04 PROLONG 2019	8518	Preparation containing by weight either 10 % or more but not more than 20 % of lithiumfluorophosphate or 5 % or more but not more than 10 % of lithium	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment Prolongation Exercise 2019-01-01

				perchlorate in mixtures of organic solvents				HS 2016 3824 90 92 --> 3824 99 92  SUS 2015 01/CN change 38 24 90 97  Prolongation Exercise 1/1/2014  HS 2007, HS 2008
ex 3824 99 96	45	1564962/2017	8517	Lithium nickel cobalt aluminium oxide powder (CAS RN 177997-13-6) with: - a particle size of less than 10 µm, - a purity by weight of more than 98 %	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment Round 2018-07: deletion of Supplementary unit kg Round 2018-01 The imported product is used in lithium-ion battery production for electrical vehicles (EV) and within this it is used in the manufacture of cathode material.
ex 3902 10 00	40	1119/2009 PROLONG 2015	8002	<b><u>SK(14.3.19) new text proposal</u></b> Polypropylene, containing no plasticiser: - of a tensile strength: of 32-77 MPa (as determined by the ASTM D638 method); - of a flexural strength of 50-105 MPa (as determined by the ASTM D790 method); - of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method); - with 40 % or more but not more than 80 % by weight of polypropylene,	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Amennment

				<ul style="list-style-type: none"> <li>- with 10 % or more but not more than 30 % by weight of glass fibre,</li> <li>- with 10 % or more but not more than 30 % by weight of mica</li> </ul> <p>Polypropylene, containing no plasticiser:</p> <ul style="list-style-type: none"> <li>- of a tensile strength: of 32-60 MPa (as determined by the ASTM D638 method);</li> <li>- of a flexural strength of 50-90 MPa (as determined by the ASTM D790 method);</li> <li>- of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method);</li> <li>- with 40 % or more but not more than 80 % by weight of polypropylene,</li> <li>- with 10 % or more but not more than 30 % by weight of glass fibre,</li> <li>- with 10 % or more but not more than 30 % by weight of mica</li> </ul>				
ex 3906 90 90	50	1683/3/1998 PROLONG 2019	7016	<p>Polymers of esters of acrylic acid with one or more of the following monomers in the chain:</p> <ul style="list-style-type: none"> <li>- chloromethyl vinyl ether,</li> <li>- chloroethyl vinyl ether,</li> <li>- chloromethylstyrene,</li> <li>- vinyl chloroacetate,</li> <li>- methacrylic acid,</li> <li>- butenedioic acid monobutyl ester,</li> </ul> <p>containing by weight not more than 5 % of each of the monomeric units, in one of the forms mentioned in note 6 (b) to Chapter 39</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01

ex 3907 99 05	20	1858/4/1993 PROLONG 2019	8902	Liquid crystal copolyester with a melting point of not less than 270 °C, whether or not containing fillers	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - To be deleted CN code 3907 99 05 is duty free (ITA 2)
ex 3920 99 59	55	1512/4/1998 PROLONG 2019	7013	Ion-exchange membranes of fluorinated plastic material	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01
ex 3921 19 00	40	3938612/2015	8504	Transparent, microporous, acrylic acid grafted polyethylene film, in the form of rolls, with: - a width of 98 mm or more but not more than 170 mm, - a thickness of 15 µm or more but not more than 36 µm, of a kind used for the manufacture of alkaline battery separators	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - Amendment Round 2019-07- Amendment. Mandatory review date 31/12/2019 This case will be discussed again in the next Round.  ROUND 2016-07 Polyethylene membrane grafted with acrylic acid to be used in the manufacturing of alkaline battery separators.
ex 7410 11 00 ex 8507 90 80 ex 8545 90 90	10 60 30	328894/2011	8505	Roll of laminate foil of graphite and copper, with: - a width of 610 mm or more but not more than 620 mm, and - a diameter of 690 mm or more but not more than 710 mm, for use in the manufacture of lithium-ion electric rechargeable batteries (2)	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - Amendment Round 2019-07 Amendment. Mandatory review date 31/12/2019 This case will be discussed again in the next Round.  prolongation exercise 1.1.2017

								ROUND 2017-07 amending request
ex 7410 21 00	50	1189/2008 PROLONG 2019	8000	<p><b><u>AT(14.03.2018) request for amendment:</u></b></p> <p>Plates:</p> <ul style="list-style-type: none"> <li>- consisting of at least one layer of fibreglass fabric impregnated with epoxide resin or other thermosetting resin,</li> <li>- covered on one or both sides with copper foil with a thickness of not more than 0,15mm, and</li> <li>- with a dielectric constant (DK) of less than 3,9 and a loss factor (Df) of less than 0,015 at a measuring frequency of 10GHz, as measured according to IPC-TM-650</li> </ul> <p>Plates:</p> <ul style="list-style-type: none"> <li>- consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,</li> <li>- covered on one or both sides with copper foil with a thickness of not more than 0,15mm and</li> <li>- with a dielectric constant (DK) of less than 3,9 and a loss factor (Df) of less than 0,015 at a measuring frequency of 10GHz, as measured according to IPC-TM-650</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - Amendment
ex 7413 00 00 ex 8518 90 00	20 45	4613981/2017	8903	Loudspeaker centering ring, consisting of one or more vibration dampers and minimum 2 non-insulated copper cables, therein woven or pressed of the kind used in car loudspeakers	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - Amendment. CN code 8518 90 00 is duty free (ITA2). -used in car loudspeakers

ex 7607 20 90	10	4697798/2018	8512	<p>Aluminium foil, in rolls:</p> <ul style="list-style-type: none"> <li>- coated with polypropylene on one side and with polyamide on the other side with adhesive layers between</li> <li>- with a width of 200 mm or more, but not more than 400 mm,</li> <li>- with a thickness of 0,138 mm or more, but not more than 0,168 mm</li> </ul> <p>for use in the manufacture of lithium-ion battery cell pouches (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 - Amendment. Round 7/2019</p> <p>Aluminium foil (AL. Pouch) rolls coated with polypropylene on one side and nylon on the other. Aluminium foil used to make pouches for lit-ion battery cells. The foil is imported as rolls in the width range from 200 mm to 400 mm and the thickness ranging from 0.138-0.168mm. It is wound on reels. The foil is cut to the desired size, folded in two with a knife and heat-sealed along the edges. Battery cells are inserted into the finished pouch and electrolyte is injected to allow the flow of ions between the electrodes (anode and cathode).</p>
<p>ex 8301 60 00</p> <p>ex 8413 91 00</p> <p>ex 8419 90 85</p> <p>ex 8438 90 00</p> <p>ex 8468 90 00</p> <p>ex 8476 90 90</p> <p>ex 8479 90 70</p> <p>ex 8481 90 00</p> <p>ex 8503 00 99</p> <p>ex 8515 90 80</p> <p>ex 8536 90 95</p>	<p>20</p> <p>40</p> <p>30</p> <p>20</p> <p>20</p> <p>20</p> <p>83</p> <p>30</p> <p>70</p> <p>30</p> <p>95</p>	589777/2010	8910	<p>Keypads of silicone or plastic,</p> <ul style="list-style-type: none"> <li>- whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood,</li> <li>- whether or not printed or surface treated,</li> <li>- whether or not with electrical conducting elements,</li> <li>- whether or not with keypads foil glued on the keyboard,</li> <li>- whether or not with protective foil,</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>ROUND 2020-01 - Amendment. CN code 8536 90 95 is duty free (ITA2)//</p>

ex 8537 10 98 ex 8708 91 20 ex 8708 91 99 ex 8708 99 10 ex 8708 99 97	70 10 20 50 40			- single or multilayer				
ex 8407 33 20 ex 8407 33 80 ex 8407 90 80 ex 8407 90 90	10 10 10 10		8005	<p><b>PL(12.3.19) modification:</b> Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm<sup>3</sup> and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of:</p> <ul style="list-style-type: none"> <li>- lawn mowers of subheadings 8433 11, 8433 19 and 8433 20,</li> <li>- tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower,</li> <li>- four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or</li> <li>- snowploughs and snow blowers of subheading 8430 20</li> </ul> <p>Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm<sup>3</sup> and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of:</p> <ul style="list-style-type: none"> <li>- self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of subheading 8433 11 90,</li> <li>- tractors of subheading 8701 91 90, whose main function is that of a lawn mower,</li> <li>- four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or</li> <li>- snowploughs and snow blowers of subheading 8430 20</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 - Amendment prolong ex 2018 - "green list item"</p> <p>Motors to be incorporated in lawn mowers, tractors, snowploughs, and snow blowers</p>

				(2)				
ex 8411 99 00 ex 8412 39 00	80 20	371587/2013 PROLONG 2019	8030	Actuator for a single-stage turbocharger: - whether or not with conducting horns and connecting sleeves, having an operating distance of 20 mm or more but not more than 40 mm, - with a length of not more than 350 mm, - with a diameter of not more than 75 mm, - with a height of not more than 110 mm	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 amendment  The difference of the pressure delivered from the engine causes the membrane in the actuator to apply pressure to the spring. As a result, the conducting horn is removed from its position, thereby regulating the gas flow on the turbine side of the turbocharger. The actuator's zero point can be calibrated by turning the nut on the threaded rod
ex 8481 10 99	30	4562503/2017	7014	Pressure reducing valves in a brass case with: - a length of not more than 18 mm ( $\pm$ 1 mm), - a width of not more than 30 mm ( $\pm$ 1 mm), of a kind used for incorporation in fuel delivery modules of motor vehicles	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 For industrial installation in fuel delivery modules
ex 8483 40 59	20	1314/4/2003 PROLONG 2019	8022	<b><u>PL(12.03.2019) Requested modification:</u></b> Hydrostatic speed changer, having a hydro pump and a differential with wheel axle, whether or not equipped with a fan impeller and/or with a pulley , for use in the manufacture of: - lawnmowers of subheadings 8433 11, 8433 19 and 8433 20,	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - request for amendment

				<p>- tractors of subheadings 8701 91 90, 8701 92 90, whose main function is that of a lawnmower</p> <p>Hydrostatic speed changer, having a hydro pump and a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51 (2)</p>				
ex 8501 33 00	25	3104160/2014	7007	<p>AC traction motor of an output of 75kW or more but not more than 375 kW, with:</p> <ul style="list-style-type: none"> <li>- a torque output of 200 Nm or more but not more than 300 Nm,</li> <li>- a power output of 50 kW or more but not more than 100 kW, and</li> <li>- a speed of not more than 15 000 rpm</li> </ul> <p>for use in the manufacture of electric vehicles (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01- Request for amendment/// Used in the manufacture of electric vehicles
ex 8504 31 80 ex 8504 50 95	45 15	1449377/2018	8900	<p>Electrical Transformer with:</p> <ul style="list-style-type: none"> <li>- a capacity of 0,2 Watts,</li> <li>- dimensions of not more than 15 x 15,5 x 14 mm,</li> <li>- an operating temperature range of -10 °C or more, but not more than + 125 °C,</li> <li>- two inductively coupled copper wire windings,</li> <li>- 5 connection pins at the bottom, and</li> <li>- a copper shielding</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - CN code 8504 50 95 is duty free (ITA2) The transformers are used for the production of mechatronic system solutions for adjustable home and office furniture
ex 8507 60 00	13	4697852/2018	8513	<p>Prismatic lithium-ion electric accumulators with:</p> <ul style="list-style-type: none"> <li>- a width of 173,0 mm (± 0,3 mm),</li> <li>- a thickness of 45,0 mm (± 0,3 mm),</li> <li>- a height 125,0 mm (± 0,3 mm),</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment. Sets cells are used for vehicles with electric motor as motors for

				<ul style="list-style-type: none"> <li>- a nominal voltage of 3,67 V (<math>\pm</math> 0,01 V), and</li> <li>- a nominal capacity of 94 Ah and/or 120 Ah</li> </ul> <p>for use in the manufacture of rechargeable electric vehicle batteries (2)</p>				propulsion, other than those capable of being charged by plugging to external source of electric power : scooters, cars and buses/coaches
ex 8507 60 00	15	1144451/2015	8506	<p>Cylindrical lithium-ion-accumulators or modules with:</p> <ul style="list-style-type: none"> <li>- a nominal capacity of 8,8 Ah or more, but not more than 18 Ah,</li> <li>- a nominal voltage of 36 V or more, but not more than 48 V,</li> <li>- a power of 300 Wh or more, but not more than 648 Wh,</li> </ul> <p>for use in the manufacture of electric bicycles (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment To incorporate the lithium-ion-accumulators into electric bicycles
ex 8507 60 00	18	4793865/2018	8514	<p>Rectangular lithium-ion polymer accumulator equipped with a battery management system and can-bus interface with:</p> <ul style="list-style-type: none"> <li>- a length of not more than 1600 mm,</li> <li>- a width of not more than 448 mm,</li> <li>- a height of not more than 395 mm,</li> <li>- a weight of 125 kg or more but not more than 135 kg,</li> <li>- a nominal voltage of 280 V or more but not more than 400 V,</li> <li>- a nominal capacity of 9,7 Ah or more but not more than 10,35 Ah,</li> <li>- a charging voltage of 110 V or more but not more than 230 V, and</li> <li>- containing 6 modules with 90 cells or more but not more than 96 cells enclosed in a steel casing</li> </ul> <p>for use in the manufacture of vehicle capable of being charged by plugging to external source of electric power of heading 8703</p>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment. Round 7/2019 The accumulator will be mounted into motor vehicle during manufacturing / * Plug-in Hybrid Electric (PHEV) battery system / * Industrial assembly / * - / * Motor vehicle of heading 8703

				(2)				
ex 8507 60 00	30	1572/14/1995 PROLONG 2015	8507	Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17,2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries (2)	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 - Amendment Round 2019-07 - Amendment. Proposal of amending goods description, since "accumulator" equals "rechargeable batteries"?  816/1/97
ex 8507 60 00	33	1232310/2015	8511	Lithium-ion accumulator, with: - a length of 150 mm or more, but not more than 1 000 mm, - a width of 100 mm or more, but not more than 1 000 mm, - a height of 200 mm or more, but not more than 1 500 mm, - a weight of 75 kg or more, but not more than 200 kg, - a nominal capacity not less than 150 Ah and not more than 500 Ah	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01- Amendment The product is a battery pack for use in a stationary energy storage application.
ex 8507 60 00	50	323555/2012	8508	<b><u>FR(14.03.2019) request for amendment:</u></b> Modules for the assembly of batteries of ion lithium electric accumulators with: - a length of 298 mm or more, but not more than 500 mm, - a width of 33,5 mm or more, but not more than 209 mm, - a height of 75 mm or more, but not more than 228 mm, - a weight of 3,6 kg or more, but not more than 17 kg, and - a nominal energy of 458 Wh or more, but not more than 2 158 Wh	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-1 - Amendment.  Modules intended for the assembly of a rechargeable battery for the supply of power to electric motor vehicles

				<p>Modules for the assembly of batteries of ion lithium electric accumulators with:</p> <ul style="list-style-type: none"> <li>- a length of 298 mm or more, but not more than 408 mm,</li> <li>- a width of 33,5 mm or more, but not more than 209 mm,</li> <li>- a height of 138 mm or more, but not more than 228 mm,</li> <li>- a weight of 3,6 kg or more, but not more than 17 kg, and</li> <li>- a power of 458 Wh or more, but not more than 2 158 Wh</li> </ul>				
ex 8507 60 00	71	1095345/2012	8509	<p>Lithium-ion rechargeable batteries, with:</p> <ul style="list-style-type: none"> <li>- a length of 700 mm or more, but not more than 2 820 mm</li> <li>- a width of 935 mm or more, but not more than 1 660 mm</li> <li>- a height of 85 mm or more, but not more than 700 mm</li> <li>- a weight of 250 kgor more, but not more than 700 kg</li> <li>- a power of not more than 175 kWh</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 - Amendment.</p> <p>The product is a rechargeable electric vehicle battery used for propulsion and operation of electric vehicles that may include; electric cars, trucks, and vans</p>
ex 8507 60 00	85	165784/2010 PROLONG 2016	8510	<p>Lithium-ion Rectangular modules for incorporation in lithium-ion rechargeable batteries:</p> <ul style="list-style-type: none"> <li>- of a length of 300 mm or more, but not more than 350 mm,</li> <li>- of a width of 79,8 mm or more, but not more than 225 mm,</li> <li>- of a height of 35 mm or more, but not more than 168 mm,</li> <li>- of a weight of 3,95 kg or more, but not more than 8,85 kg,</li> <li>- with a rating of 66,6 Ah or more, but not more than 129 Ah</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment.
ex 8507 90 30	20	4659305/2018	8515	Safety Reinforced Separator designed to separate cathode and anode in lithium-ion electric accumulators for motor vehicle	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01- Amendment Round 7/2019

				batteries for use in the manufacture of lithium-ion electric accumulators for motor vehicle batteries (2)				The product is made of ceramic-coated PET film with specific crosslinking and porosity to allow the flow of lithium ions which are generated in electrochemical reactions in the Li ion battery. It separates anode and cathode. One side of the separator is additionally covered with a PET film sheet for protection. The film is removed in the initial stage of the production process. During the production process the separator and roll-design anode and cathode are heat-sealed under pressure and the separator is subsequently slit. The separator is imported as approx. 2000m-long rolls with the width ranging from 290.2 mm to 322.3 mm; the product is wound on reels.
ex 8526 91 20	30	1378843/2017	8904	Control unit of the emergency call system containing GSM and GPS module, for use in the manufacture of goods of Chapter 87  (2)	S	<b>Amendment</b>	UNDER EXAMINATION	ROUND 2020-01 - CN code 8526 91 20 is duty free (ITA2). To be deleted

ex 8527 91 99 ex 8529 90 65	20 85	1179/2009 PROLONG 2015	8905	<p>Assembly consisting of at least:</p> <ul style="list-style-type: none"> <li>- an audio frequency amplifier unit, comprising at least an audio frequency amplifier and a sound generator,</li> <li>- a transformer and</li> <li>- a radio broadcast receiver</li> </ul> <p>for use in the manufacture of consumer electronic products (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01- CN code 8527 91 99 is duty free (ITA2).
ex 8528 59 00	10	1326/1/2000 PROLONG 2015 PROLONG 2019	8128	<p>Liquid crystal display colour video monitors, excluding those combined with other apparatus, having a DC input voltage of 7 V or more but not more than 30 V, with a diagonal measurement of the screen of 33,2 cm or less,</p> <ul style="list-style-type: none"> <li>- without a housing, with back cover and mounting frame,</li> <li>- or with a housing,</li> </ul> <p>used for permanent incorporation or permanent mounting, during industrial assembly, into goods of Chapters 84 to 90 and 94 (2)(1)</p>	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01
ex 8529 90 92	52	4859170/2018	8127	<p>LCD module, glass or plastic covered and optically bonded, with</p> <ul style="list-style-type: none"> <li>- a diagonal measurement of the screen of 12 cm or more but not more than 31 cm,</li> <li>- LED backlighting,</li> <li>- a printed circuit board with EEPROM (Electrically Erasable Programmable Read-Only Memory), microcontroller, timing controller and other active and passive components,</li> <li>- a plug for power supply and CAN (Controller Area Network) and LVDS (Low Voltage Differential Signalling) interfaces,</li> <li>- whether or not with electronic components to generate additional</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATIO N	Round 2020-01 The displays operate like ordinary electronic screens. They are used in motor vehicles to digitally display navigation, audio, setting and vehicle information. The displays also have warning icons in graphic form, as well as indicator lights and a gear shift indicator. The displays are permanently installed

				<p>control indicators for vehicle information on the display,</p> <ul style="list-style-type: none"> <li>- with or without a touch screen,</li> <li>- without a signal processing module,</li> <li>- in a housing with additional LED indicators for warning lights,</li> <li>- with or without a gear shift indicator and a photo sensor,</li> </ul> <p>of a kind used as a driver information display in motor vehicles of Chapter 87 (2)</p>				in vehicles in the driver's field of vision.
ex 8529 90 92	54	4888648/2018	8126	<p>LCD display with:</p> <ul style="list-style-type: none"> <li>- a touch panel,</li> <li>- at least one printed circuit board for simple slave device pixel addressing (Timing Controller function) and touch control, with EEPROM (Electrically Erasable Programmable Read-Only Memory) for display settings,</li> <li>- a diagonal screen measurement of 15 cm or more but not more than 21 cm,</li> <li>- a backlight,</li> <li>- a LVDS (Low Voltage Differential Signalling) and a power supply connector,</li> </ul> <p>for use in the manufacture of motor vehicles of Chapter 87 (2)</p>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 7/2019 Intended use - The finished product is treated as an automatic data-processing machine for cars.
ex 8536 90 95	20	3703135/2015	8906	<p>Semiconductor chip housing in the form of a plastic frame containing a lead frame equipped with contact pads, for voltages of not more than 1 000 V</p>	S	<b>Amendment</b>	UNDER EXAMINATION	<p>Round 2020-01 -CN code 8536 90 95 is duty free (ITA2).//</p> <p>End use of the imported goods :. Goods used to hold semiconductor circuits, which are then</p>

								soldered on custom carrier devices
ex 8536 90 95	40	3863451/2015	8907	Rivet contacts <ul style="list-style-type: none"> <li>- of copper</li> <li>- plated with silver nickel alloy AgNi10 or with silver containing by weight 11,2 % (± 1,0 %) of tin oxide and of indium oxide taken together</li> <li>- with a thickness of the plating of 0,3 mm (- 0/+ 0,015 mm)</li> <li>- whether or not gilded</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01- CN code 8536 90 95 is duty free (ITA2).//  stake contacts for relay production
ex 8536 90 95 ex 8544 49 93	94 10	1307/2/2003 PROLONG 2019	8908	Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Amendment.
ex 8708 40 20 ex 8708 40 50	50 40	4631667/2017	8024	<b><u>TR(15.3.2019) request for amendment:</u></b> Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting: <ul style="list-style-type: none"> <li>- cast aluminium body,</li> <li>- differential gear,</li> <li>- 2 electrical motors and gears,</li> </ul> with the dimensions of: <ul style="list-style-type: none"> <li>- a width of 280 mm or more but not more than 470 mm,</li> <li>- a height of 350 mm or more but not more than 595 mm,</li> <li>- a length of 410 mm or more but not more than 690 mm,</li> </ul> for use in the manufacture of motor vehicles of Chapter 87  Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting: <ul style="list-style-type: none"> <li>- cast aluminium body,</li> <li>- differential gear,</li> <li>- 2 electrical motors and gears,</li> </ul> with the dimensions of:	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 request for amendment  Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position

				<ul style="list-style-type: none"> <li>- a width of 300 mm or more but not more than 350 mm,</li> <li>- a height of 420 mm or more but not more than 500 mm,</li> <li>- a length of 500 mm or more but not more than 600 mm,</li> </ul> <p>for use in the manufacture of motor vehicles of Chapter 87 (2)</p>				
ex 8708 80 99	20	4780825/2018	7008	<p><b><u>Request for amendment:</u></b></p> <p>Aluminium suspension link arm, with dimensions of:</p> <ul style="list-style-type: none"> <li>- a height of 50 mm or more but not more than 150 mm,</li> <li>- a width of 10 mm or more but not more than 100 mm,</li> <li>- a length of 100 mm or more but not more than 600 mm,</li> <li>- a mass of 1000 g or more but not more than 3000 g,</li> </ul> <p>Equipped with at least two bushed holes made of aluminium alloy with the following characteristics:</p> <ul style="list-style-type: none"> <li>- a tensile strength of 200 mPa or more</li> <li>- a strength of 19 kN or more</li> <li>- a stiffness of 5 kN/mm or more but not more than 9 kN/mm</li> <li>- a frequency of 400 Hz or more but not more than 600 Hz</li> </ul> <p>Aluminium suspension link arm, with dimensions of:</p> <ul style="list-style-type: none"> <li>- a height of 50 mm or more but not more than 150 mm,</li> <li>- a width of 10 mm or more but not more than 100 mm,</li> <li>- a length of 100 mm or more but not more than 600 mm,</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Round 7/2019 Used in the production of motor vehicle suspension sub-assemblies

				<ul style="list-style-type: none"> <li>- a mass of 1000 g or more but not more than 3000 g,</li> </ul> <p>Equipped with at least two bushed holes made of aluminium alloy with the following characteristics:</p> <ul style="list-style-type: none"> <li>- a tensile strength of 2000 mPa or more ,</li> <li>- a strength of 19 kN or more,</li> <li>- a stiffness of 5 kN/mm or more but not more than 9 kN/mm,</li> <li>- a frequency of 400 Hz or more but not more than 600 Hz</li> </ul>				
ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	23 33 70	3087055/2013	7011	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including e-bikes) (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01  >> Mode of operation: A bicycle frame is the supporting construction of the bike. This part connects all the parts of the bike together. A aluminium bicycle frame is made of aluminium components, which are jointed together by welding. The aluminium components are made of pre-shaped tubes or cast components
ex 8714 91 30 ex 8714 91 30 ex 8714 91 30	25 35 72	3087046/2013 PROLONG 2019	7010	<b>COMM new text proposal:</b> Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including e-bikes)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01  >> Type of product in which it is to be incorporated: Bicycle

				Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (2)				
ex 8714 96 10	10	3893618/2015	8029	<b><u>COMM new text proposal:</u></b> Pedals, for use in the manufacture of bicycles <b>(including e-bikes)</b>  Pedals, for use in the manufacture of bicycles (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 amendment A pedal is the part of the bicycle for the rider to put his feet on. The pedals are mounted on the crank arms. The crank's function is to transfer muscle power into propulsion.
ex 8714 99 10 ex 8714 99 10	20 89	4537684/2017	7017	<b><u>COMM - new text proposal:</u></b> Bicycle handlebars, - with or without integrated stem, - either made out of carbon fibres and synthetic resin or made of aluminium, for use in the manufacture of bicycles <b>(including e-bikes)</b>  Bicycle handlebars, - with or without integrated stem, - either made out of carbon fibres and synthetic resin or made of aluminium, for use in the manufacture of bicycles (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01
ex 8714 99 90	30	3893662/2015	7009	<b><u>COMM -new text proposal:</u></b> Seat posts, for use in the manufacture of bicycles <b>(including e-bikes)</b>  Seat posts, for use in the manufacture of bicycles (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01  SUS 2016 07 A seatpost is a tubular part that is mounted on the frame of a bicycle with the function to hold the saddle.

ex 9001 50 41 ex 9001 50 49	40 40	825118/2014	7015	Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses (2)	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01  The product is an ophthalmic lens for glasses adaptable to the vision correction of the wearer, worked on both surfaces, receiving the appropriate treatments and having to be adapted on a pair of glasses.
ex 9002 11 00	20	276652/2012	8001	<b><u>AT(14.03.19) new text proposal</u></b> Lenses <ul style="list-style-type: none"> <li>- measuring not more than 95 mm × 55 mm × 50 mm,</li> <li>- with a resolution of 160 lines/mm or better, and</li> <li>- with a zoom ratio of 18 times,</li> </ul> of a kind used for the production of visualizers or live image cameras  Lenses <ul style="list-style-type: none"> <li>- measuring not more than 80 mm x 55 mm x 50 mm,</li> <li>- with a resolution of 160 lines/mm or better, and</li> <li>- with a zoom ratio of 18 times,</li> </ul> of a kind used for the production of visualizers or live image cameras	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 Amendment. prolong ex 2018 - "green list item" Objectives will be incorporated into visualizers and live image cameras
ex 9029 20 31 ex 9029 90 00	20 30	3033673/2014	8124	<b><u>SK(28.03.2019) late request for amendment:</u></b> Clustered instrument panel with the microprocessor control board, with or without stepping motors, LED indicators or LCD display showing at least: <ul style="list-style-type: none"> <li>- speed,</li> <li>- engine revolutions,</li> <li>- engine temperature,</li> <li>- the fuel level</li> </ul>	S	<b>Amendment</b>	UNDER EXAMINATION	Round 2020-01 - Prolongation exercise - green list item.Late Request for amendment  The clustered instrument panel is an electronic device

				<p>communicating via CAN-BUS and K-LINE protocols, of a kind used in the manufacture of goods of Chapter 87</p> <p>Clustered instrument panel with the microprocessor control board, with or without stepping motors, and LED indicators showing at least:</p> <ul style="list-style-type: none"> <li>- speed,</li> <li>- engine revolutions,</li> <li>- engine temperature,</li> <li>- the fuel level</li> </ul> <p>communicating via CAN-BUS and/or K-LINE protocols, of a kind used in the manufacture of goods of Chapter 87</p>				<p>consisting of a microprocessor control board connected to 12V power circuit, several stepping motors and a few LED indicators, which together are designed to show the current status of the other devices in the vehicle of the user.</p>
--	--	--	--	--	--	--	--	---

(2) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)